

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CITRUS SCOUT (FLOWER) // PRODUCED: AUG 30, 2023

CLIENT: MAPLE VALLEY PHARMS // BATCH: PASS



MATRIX: FLOWER ¹
SAMPLE ID: NAL-230824-009
COLLECTED ON: AUG 24, 2023
RECEIVED ON: AUG 24, 2023
BATCH SIZE: 3.5 G ¹
SAMPLE SIZE: 1 UNITS ¹
SAMPLED BY: DAVID CHRISTEN ¹
RECEIVED BY: CHRISTOPHER COLE

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

CULTIVATOR INFO

CULTIVATOR
MAPLE VALLEY PHARMS
518 NORRIDGEWOCK RD
FAIRFIELD, ME 04937

LICENSE
TBD
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

MICROBIAL PASS
PESTICIDES PASS

PST.2: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS PREPARATION: AUG 25, 2023 // ANALYSIS: AUG 25, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ABAMECTIN	500 µg/kg	ND	137/183	PASS
ACEPHATE	400 µg/kg	ND	137/183	PASS
ACEQUINOCYL	2000 µg/kg	ND	137/916	PASS
ACETAMIPRID	200 µg/kg	ND	137/137	PASS
ALDICARB	400 µg/kg	ND	137/183	PASS
AZOXYSTROBIN	200 µg/kg	ND	137/137	PASS
BIFENAZATE	200 µg/kg	ND	137/137	PASS
BIFENTHRIN	200 µg/kg	ND	137/137	PASS
BOSCALID	400 µg/kg	ND	137/183	PASS
CARBARYL	200 µg/kg	ND	137/137	PASS
CARBOFURAN	200 µg/kg	ND	137/137	PASS
CHLORANTRANIL-IPROLE	200 µg/kg	ND	137/137	PASS
CHLORFENAPYR	1000 µg/kg	ND	137/458	PASS
CHLORPYRIFOS	200 µg/kg	ND	137/137	PASS
CLOFENTEZINE	200 µg/kg	ND	137/137	PASS
CYFLUTHRIN	1000 µg/kg	ND	137/458	PASS
CYPERMETHRIN	1000 µg/kg	ND	137/458	PASS
DAMINOZIDE	1000 µg/kg	ND	137/458	PASS
DIAZINON	200 µg/kg	ND	137/137	PASS
DICHLORVOS	1000 µg/kg	ND	137/458	PASS
DIMETHOATE	200 µg/kg	ND	137/137	PASS
ETHOPROPHOS	200 µg/kg	ND	137/137	PASS
ETOXENPROX	400 µg/kg	ND	137/183	PASS
ETOXAZOLE	200 µg/kg	ND	137/137	PASS
FENOXYCARB	200 µg/kg	ND	137/137	PASS
FENPYROXIMATE	400 µg/kg	ND	137/183	PASS
FIPRONIL	400 µg/kg	ND	137/183	PASS
FLONICAMID	1000 µg/kg	ND	137/458	PASS
FLUDIOXONIL	400 µg/kg	ND	137/183	PASS
HEXYTHIAZOX	1000 µg/kg	ND	137/458	PASS
IMAZALIL	200 µg/kg	ND	137/137	PASS

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
METHIOCARB	200 µg/kg	ND	137/137	PASS
METHOMYL	400 µg/kg	ND	137/183	PASS
MGK-264	200 µg/kg	ND		PASS
MGK-264 I		ND	83.8/83.8	N/A
MGK-264 II		ND	53.6/53.6	N/A
MYCLOBUTANIL	200 µg/kg	ND	137/137	PASS
NALED	500 µg/kg	ND	137/183	PASS
OXAMYL	1000 µg/kg	ND	137/458	PASS
PACLOBUTRAZOL	400 µg/kg	ND	137/183	PASS
PARATHION-METHYL	200 µg/kg	ND	137/137	PASS
PERMETHRIN	200 µg/kg	ND		PASS
PERMETHRIN CIS		ND	59.1/59.1	N/A
PERMETHRIN TRANS		ND	78.3/78.3	N/A
PHOSMET	200 µg/kg	ND	137/137	PASS
PIPERONYLBUTOXIDE	2000 µg/kg	ND	137/916	PASS
PRALLETHRIN	200 µg/kg	ND	137/137	PASS
PROPICONAZOLE	400 µg/kg	ND	137/183	PASS
PROPOXUR	200 µg/kg	ND	137/137	PASS
PYRETHRINS	1000 µg/kg	ND		PASS
PYRETHRINS CINERIN I		ND	91.5/91.5	N/A
PYRETHRINS CINERIN II		ND	93.4/93.4	N/A
PYRETHRINS JASMOLIN I		ND	74.2/74.2	N/A
PYRETHRINS JASMOLIN II		ND	57.7/57.7	N/A
PYRETHRINS PYRETHRIN I		ND	426/426	N/A
PYRETHRINS PYRETHRIN II		ND	251/251	N/A
PYRIDABEN	200 µg/kg	ND	137/137	PASS
SPINOSAD	200 µg/kg	ND	137/137	PASS
SPIROMESIFEN	200 µg/kg	ND	137/137	PASS

IMIDACLOPRID	400 µg/kg	ND	137/183	PASS	SPIROTETRAMAT	200 µg/kg	ND	137/137	PASS
KRESOXIM-METHYL	400 µg/kg	ND	137/183	PASS	SPIROXAMINE	400 µg/kg	ND	137/183	PASS
MALATHION	200 µg/kg	ND	137/137	PASS	TEBUCONAZOLE	400 µg/kg	ND	137/183	PASS
METALAXYL	200 µg/kg	ND	137/137	PASS	THIACLOPRID	200 µg/kg	ND	137/137	PASS
					THIAMETHOXAM	200 µg/kg	ND	137/137	PASS
					TRIFLOXYSTROBIN	200 µg/kg	ND	137/137	PASS



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 AUG 30, 2023



**TOTAL YEAST AND MOLD BY MOST PROBABLE NUMBER
PREPARATION: AUG 25, 2023 // ANALYSIS: AUG 28, 2023**

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
YEAST & MOLD	10000 CFU/g	ND	1000/1000	PASS

PRODUCT IMAGES



** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

